View NSN Online: https://aerobasegroup.com/nsn/8030-00-782-1420

COURTAULDS AEROSPACE INC -- SEALIN COMPOUND -- 8030-00-782-1420

Product ID:SEALIN COMPOUND

MSDS Date:05/06/1994

FSC:8030

NIIN:00-782-1420

Status Code:A

MSDS Number: CKZFB === Responsible Party ===

Company Name: COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num

:800-228-5635

Preparer's Name:ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: PHENOLIC RESIN

CAS:009039-25-2

< Wt:5.

Ingred Name:TITANIUM DIOXIDE

CAS:013463-67-7

< Wt:5.

Ingred Name:CA

ICIUM CARBONATE LIMESTONE CAS:001317-65-3 = Wt:25.

Ingred Name:ALUMINUM CAS:007429-90-5 < Wt:5.

Ingred Name:TOLUVENE CAS:000108-88-3 < Wt:5.

Ingred Name:POLYSUFIDE POLYMER

CAS:068611-50-7

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYES: IT MAY CAUSE IRRIATIO

Health Hazards Acute and Chronic:EYES: IT MAY CAUSE IRRIATION, REDNESS AND TEARING. SKIN: ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS.

INGESTION: MAY CAUSE GASTRO

INTESTINAL IRRITATION.

Effects of Overexposure:EYES: MAY CAUSE BURNING, TEARING AND REDDENING. SKIN: PROLONGED EXPOSURE MAY CAUSE DRYING AND CRACKING OF SKIN, AND POSSIBLE DERMATITIS. INHALATION: MAY CAUSE DIZZINESS, DROWSINESS AND FATIGUE. MAY CA USE LIVER AND KIDNEY DAMAGE. INGESTION: MAY CAUSE DROWSINESS, DIZZINESS AND NAUSEA.

Medical Cond Aggravated by Exposure: MAY CAUSE DISTURBANCE IN MEMORY, THINKING ABILITY, EMOTIONS AND COORDINATION.

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: CONSULT A PHYSICIAN.

============ Fire Fighting Measures =========================

Flash Point Method:CALC Flash Point:=67.2C, 153.F

Lower Limits:1.0

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.

Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR.

===

======== Accidental Release Measures ============
Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT.
======================================
Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION. Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, PUNCTURE OR WELD ON OR NEAR DRUM. VAPORS OF THIS PRODUCT ARE HEAVIER THAN A IR AND MAY COLLECT IN LOW OR CONFINED AREAS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV, USE AN ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR. Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW TLV. Protective Gloves:SOLVENT RESISTANT GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment:KEEP CONTAINER TIGHT LY CLOSED. DO NOT STORE
ABOVE 120 DEG. F. GROUNDING AND BONDING PROCEDURE SHOULD BE FOLLOWED WHEN TRANSPORTING THIS MATERIAL. Supplemental Safety and Health
========= Physical/Chemical Properties ============
Vapor Density:HEAVIER Spec Gravity:1.377 VOC Pounds/Gallon:60 Appearance and Odor:GREY LIQUID Percent Volatiles by Volume:4.0%
========== Stability and Reactivity Data ============
Stability Indicator/Materials to Avoid:YES NK
=======================================

Disposal Considerations ==========

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.