

NU-KOTE INTERNATIONAL INC -- LASER TONER CARTRIDGE LT75RHP LASER JET IIIISI REMAN --  
7510-01-368-4626

===== Product Identification =====

Product ID:LASER TONER CARTRIDGE LT75RHP LASER JET IIIISI REMAN

MSDS Date:02/20/1996

FSC:7510

NIIN:01-368-4626

Status Code:A

MSDS Number: CKZRG

=== Responsible Party ===

Company Name:NU-KOTE INTERNATIONAL INC

Address:1065 BLOOMFIELD RD

City:BARDESTOWN

State:KY

ZIP:4

0004

Country:US

Info Phone Num:800-448-1422

Emergency Phone Num:800-448-1422;800-424-9300(CHEMTREC)

Chemtre Ind/Phone:(800)424-9300

CAGE:79981

=== Contractor Identification ===

Company Name:NU-KOTE INTERNATIONAL

Address:US HWY 62

Box:City:BARDESTOWN

State:KY

ZIP:40004

Country:US

Phone:800-448-1424 (UNISYS)

CAGE:79981

===== Composition/Information on Ingredients =====

Ingred Name:STYRENE ACRYLATE

CAS:25153-46-2

Minumum % Wt:55.

Maxumum % Wt:60.

Ingred Name:IRON OXIDE

CAS:1317

-61-9  
Fraction by Wt: 30-40%

Ingred Name:METAL AZD DYE  
CAS:84179-66-8  
Fraction by Wt: 1-5%

Ingred Name:POLYOLIFIN WAX  
CAS:25322-69-4  
Fraction by Wt: 1-5%

Ingred Name:SILICA  
CAS:68611-44-9  
Fraction by Wt: 0-1%

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Health Hazards Acute and Chronic:ACUTE: NO KNOWN SYMPTOMS FROM  
OVEREXPOSURE. CHRONIC: NONE SPECIFIED BY MAN  
UFACTURER.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: WASH  
WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION:  
DRINK SEVERAL GLASSES OF WATER.

=====  
===== Fire Fighting Measures =====

Extinguishing Me  
dia:WATER, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures:AVOID BREATHING SMOKE.  
Unusual Fire/Explosion Hazard:EXCESS DUST IN AIR CAN FORM EXPLOSIVE  
MIXTURE. COMBUSTABLE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:NONE.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:NONE IF USED AS STATED HEREIN.  
Other Precautions:NONE SPECIFIED BY MANUF

ACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE. USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NONE.

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Melt/Freeze Pt:>120.C, 248.F

Spec Gravity:1.5-1.7

Solubility in Water:INSOLUBLE

Appearance an

d Odor:FINE BLACK POWDER, RESIN ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE TOXIC.

AVOID BREATHING SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.