

AMERICAN WRITING INK CO. INC. -- STAMP PAD INK CID: A-A-209B -- 7510-00-161-4236

===== Product Identification =====

Product ID:STAMP PAD INK CID: A-A-209B

MSDS Date:03/26/1997

FSC:7510

NIIN:00-161-4236

Status Code:A

MSDS Number: CLBXG

=== Responsible Party ===

Company Name:AMERICAN WRITING INK CO. INC.

Address:33 ENDICOTT STREET

City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Info Phone Num:617-762-0026

Emergency Phone Num:617-482-9167

Preparer's Name:H LEVINS

ON

CAGE:82956

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

Contract Num:GS-14F-64041

CAGE:82956

===== Composition/Information on Ingredients =====

Ingred Name:NO HAZARDOUS INGREDIENTS

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and C

hronic:EYE: IRRITATION, TEARING, REDNESS.

SKIN: IRRITATION. PROLONGED/REPEATED EXPOSURE CAUSES REDNESS, DRINESS, CRACKING OF SKIN. INHAL: BREATHING HIGH CONCENTRATIONS OF VAPORS/MISTS CAUSES IRRITATION OF NO SE/THROAT. INGEST: IRRITATION OF DIGESTIVE TRACT.

Medical Cond Aggravated by Exposure:PRE-EXISTING EYE/SKIN/RESPIRATORY DISORDERS, OR PRE-EXISTING IMPAIRED PERIPHERAL NERVE FUNCTION MAY BE AGGRIVATED BY EXPOSURE TO INK.

===== First Aid Measures ==

=====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES, LIFTING LIDS TO RINSE ENTIRE EYE. WASH W/ANTI-IRRITATING SOAP, SUCH AS BABY SOAP. CALL DR IMMED. SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER FOR 15 MINS, USING MILD S OAP. REMOVE CONTAMINATED CLOTHING IMMEDIATELY. CALL DR. INHALATION: NO ADVERSE EFFECTS EXPECTED. INGESTION: INDUCE VOMITING. CALL DR.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=182.2

C, 360.F

Extinguishing Media:CO2, DRY CHEMICAL FOR SMALL FIRES. ALCOHOL TYPE FOAM OR WATER SPRAY FOR LARGE FIRES.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. PREVENT CONTAMINATION OF GROUND AND SURFACE WATERS. REMOVE SPILLED INK WITH ABSORBANTS SUCH AS SAWDUST/VERMICULITE.

===== Handling and Storage =====

Handling and

Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED AND ON END TO PREVENT SEAPAGE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED

Ventilation:ADEQUATE AIR CIRCULATION NORMALLY SUFFICIENT

Protective Gloves:IMPERVIOUS

Eye Protection:APPROVED EYE PROTECTION TO PREVENT EYE CONTACT

Other Protective Equipment:SOURCE OF CLEAN WATER IN WORK AREA FOR FLUSHING EYES AND SKIN.

Work Hygienic Practices:WASH WITH SOAP AND WATER IF SPLASHI

NG OCCURS.

LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:>121.1C, 250.F

Vapor Pres: