

FLEXBAR MACHINE CORP -- MODELING CLAY (SEE SUPPL) -- 4920-01-237-8414

=====  
Product Identification  
=====

Product ID:MODELING CLAY (SEE SUPPL)

MSDS Date:11/01/1998

FSC:4920

NIIN:01-237-8414

Status Code:A

Kit Part:Y

MSDS Number: CLDYJ

=== Responsible Party ===

Company Name:FLEXBAR MACHINE CORP

Address:250 GIBBS RD

City:ISLANDIA

State:NY

ZIP:11749-2697

Country:US

Info Phone Num:631-582-8440

Emergency

Phone Num:800 879-7575 616-582-8440

Preparer's Name:NOT PROVIDED

CAGE:2R260

=== Contractor Identification ===

Company Name:FLEXBAR MACHINE CORP

Address:250 GIBBS RD

Box:City:ISLANDIA

State:NY

ZIP:11749-2697

Country:US

Phone:631-582-8440

CAGE:2R260

Company Name:HOOSIER INDUSTRIAL SUPPLY

Address:1223 CHICAGO AVE

Box:City:GOSHEN

State:IN

ZIP:46527-0929

Country:US

Phone:219-533-8565

Contract Num:SP0450-99-M-A624

CAGE:0RCD8

=====  
Composition/Information on Ingredients  
=====

Ingre

d Name:NON-HAZARDOUS INGREDIENT(S)

= Wt:100.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NONE

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE.

Medical Cond Aggravated by Exposure:NOT PROVIDED

=====  
===== First Aid Measures =====

First Aid

:INHALATION: NOT APPLICABLE. EYES: REMOVE AS ANY FOREIGN

OBJECT. SKIN: WASH WITH SOAP AND WATER. INGESTION: IMPROBABLE, NOT  
KNOWN TO CAUSE A PROBLEM.

=====  
===== Fire Fighting Measures =====

Flash Point:=240.6C, 465.F

Extinguishing Media:FOAM, DRY CHEMICAL, WATERFOG.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:NO SPECIAL.

Neutralizing Agent:NOT  
PROVIDED

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE.

Other Precautions:NONE NEEDED.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT PROVIDED

Ventilation:NOT PROVIDED

Protective Gloves:NOT PROVIDED

Eye Protection:NOT PROVIDED

Other Protective Equipment:NOT PROVIDED

Work Hygienic Practices:NOT PROVIDED

Supplemental Safety and Health

CONTD FROM PRODUCT ID: HOOSIER

P/N: 16000. OTHER MSDS NUMBERS: CLDYG,  
CLDYH, CLDYK.

===== Physical/Chemical Properties =====

HCC:F2  
NRC/State Lic Num:NOT RELEVANT  
Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED  
Decomp Temp:Decomp Text:NOT PROVIDED  
Spec Gravity:2.447  
Solubility in Water:NONE  
Appearance and Odor:PLIABLE SOLID - NO ODOR.  
Percent Volatiles by Volume:@400F:39.44  
Corrosion Rate:NOT PROVIDED

===== Stability and Reactivity Data =====

Stability Indicator/Materials  
to Avoid:YES  
NONE KNOWN.  
Stability Condition to Avoid:NONE KNOWN.  
Hazardous Decomposition Products:NONE

===== Toxicological Information =====

Toxicological Information:NOT PROVIDED

===== Ecological Information =====

Ecological:NOT PROVIDED

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL STATE AND  
FEDERAL REGULATIONS.

===== MSDS T  
ransport Information =====

Transport Information:NOT PROVIDED

===== Regulatory Information =====

SARA Title III Information:NOT PROVIDED  
Federal Regulatory Information:NOT PROVIDED  
State Regulatory Information:NOT PROVIDED

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.