EMERSON & CUMING SPECIALTY POLYMERS DIV OF NATIONAL STARCH -- CATALYST 9 (SEE SUPPL) -- 5970-00-787-8319

============= Product Identification ========================

Product ID:CATALYST 9 (SEE SUPPL)

MSDS Date:05/22/2000

FSC:5970

NIIN:00-787-8319

Status Code:A

Kit Part:Y

MSDS Number: CLFDD === Responsible Party ===

Company Name: EMERSON & CUMING SPECIALTY POLYMERS DIV OF NATIONAL STARCH

Address:46 MANNING ROAD

City:BILLERICA

State:MA ZIP:01821 Country:US

Info Phone Num:781-828-3300 OR 9

78-436-9781

Emergency Phone Num:202-483-7616 Resp. Party Other MSDS Num::600008

Preparer's Name: DAVID HAAS Chemtrec Ind/Phone: (800)424-9300

CAGE:TO215

=== Contractor Identification ===

Company Name: EMERSON & CUMING SPECIALTY POLYMERS DIV OF NATIONAL STARCH

Address:46 MANNING ROAD

Box:City:BILLERICA

State:MA ZIP:01821 Country:US

Phone:781-828-3300 OR 978-436-9781

CAGE:TO215

Company Name: MCKEOWN ROBERT CO. INC.

Address:111 CHAMBERS BROOK RD.

Box:City:SOMERVILLE

State:NJ ZIP:08876 Country:US Phone: 908-218-9000 Contract Num:SP0450-99-M-Y157

CAGE:7B953

======= Composition/Information on Ingredients ========

Ingred Name: TETRAETHYLENE PENTAMINE

Minumum % Wt:90. Maxumum % Wt:100.

Ingred Name:TRIETHYLENE TETRAMINE

< Wt:5.

Ingred Name: PENTAETHYLENE HEXAMINE

< Wt:5.

=========== Hazards Identification ================

Health Hazards Acute and Chronic:EYE: CONTAINS MATERIALS CORROSIVE TO THE EYES; MAY CAUSE BURNS AND POSSIBLE CORNEAL INJURY. PERMANENT

IMPAIRMENT OF VISION OR BLINDNESS MAY OCCUR. SKIN: CONTAINS MATERIALS CORROSIVE TO THE SKIN; MAY C AUSE SEVERE BURNS AND BLISTERING. THIS PRODUCT MAY CAUSE SKIN SENSITIZATION/ALLERGIC SKIN REACTIONS WHICH MAY BE SEVERE IN CERTAIN INDIVIDUALS; SYMPTOMS INCLUDE RASH, ITCHING, HIVES, SWELLING OF THE E XTREMITIES. MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN. INHALATION: VAPORS MAY CAUSE IRRITATION, NAUSEA, AND HEADACHES. MAY CAUSE RESPIRATORY SENSITIZATION RSPONSES IN

SUSCEPTIBLE INDIVIDUALS; REACTI ONS MAY BE SEVERE IN SOME CASES.

Effects of Overexposure:EYE: CORROSIVE TO EYES; MAY CAUSE BURNS & POSSIBLE CORNEAL INJURY. PERMANENT IMPAIRMENT OF VISION OR BLINDNESS MAY OCCUR. SKIN: CONTAINS MATERIALS CORROSIVE TO SKIN; MAY CAUSE SEVERE BURNS AND BLISTE RING. MAY CAUSE SKIN SENSITIZATION/ALLERGIC SKIN REACTIONS WHICHMAY BE SEVERE IN CERTAIN INDIVIDUALS; SYMPTOMS INCLUDE RASH, ITCHING, HIVES, SWELLING OF THE EXTREMITIES. MAY BE HARMF

UL IF ABSORBED THR OUGH THE SKIN.

INHALATION: VAPORS MAY CAUSE IRRITATION, NAUSEA, AND HEADACHES. MAY CAUSE RESPIRATORY SENSITIZATION RESPONSES IN SUSCEPTIBLE INDIVIDUALS; REACTIONS MAY BE SEVERE IN SOME CASES. MAY CAUS E BURNS TO MOUTH & UPPER G/I TRACT.

Medical Cond Aggravated by Exposure: EXPOSURE MAY AGGRAVATE PREEXISITING SKIN, EYE AND/OR RESPIRATORY DISORDERS.


First Aid:EYE: IMMEDIATELY FLUSH THOROUGH

WASH AREA WITH SOAPY WATER. PREVENT RUNOFF FROM ENTERING WATERWAYS. TRANSFER TO CONTAINERS.

Neutralizing Agent:NOT PROVIDED

========== Handling and Storage ===========

Handling and Storage Precautions:STORE IN A COOL, DRY LOCATION WITH ADEQUATE VENTI



Boiling Pt:=317.8C, 604.F Vapor Pres:(MMHG@25C)AIR

Spec Gravity:(

WATER=1)0.99

Solubility in Water:SOLUBLE

Appearance and Odor: AMBER LIQUID, AMINE ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

INCOMPATIBLE WITH STRONG OXIDIZERS, ACIDS, BASES. UNCONTROLLED MIXING WITH EPOXIDES MAY CAUSE HAZARDOUS EXOTHERMIC POLYMERIZATION, POSSIBLY RESULTING IN EVOLUTION OF SMOKE AND TOXIC FUMES.

Stability Condition to Avoid: AVOID STORAGE IN OPEN CONTAINERS, EXPOSURE TO OPEN FLAME OR UNCOLTROLLE

D EXPOSURE TO HEAT, UNCONTROLLED MIXING
WITH EPXIES OR EXPOSURE TO INCOMPATIBLE SUBSTANCES.
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOX

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN, AMMONIA, AMINES AND OTHER ORGANIC SUBSTANCES MAY BE FORMED DURING COMBUSTION. THE CHEMICAL NATURE AND QUANTITY OF DECOMPOSITION BY PRODUCTS WILL VARY

Conditions to Avoid Polymerization:WILL NOT OCCUR; HOWEVER, REVIEW REACTIVITY DATA CONCERNING CONDITIONS TO AVOID AND INCOMPATIBLE SUBSTANCE

===== Toxicological Information =========
Toxicological Information:REPEATED OVEREXPOSURE TO POLYETHYLENE POLYAMINES (INCLUDING DIETHYLENE TRIAMINE, TRIETHYLENE TETRAMINE & TETRAETHYLENE PENTAMINE) ARE REPORTED TO CAUSE LIVER & KIDNEY INJURY IN TESTS ON LABORATORY ANI MALS.
========= Ecological Information ============
Ecological:NOT PROVIDED
======= Disposal Considerations ==========
Waste Disposal Methods:PILL RESPONSE OPERATIONS MUST BE CONDUCTED IAW OSHA 29CFR1910.120 REVIEW ENTIRE MSDS BEFORE PROCEEDING WITH SPILL RESPONSE. DISPOSE OF IN ACCORDANCE WITH CURRENT FEDERAL, STATE, AND LOCAL REGULATIONS.
========= MSDS Transport Information ===========
Transport Information:DOT: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TETRAETHYLENE PENTAMINE, TRIETHYLENE TETRAMINE), 8, UN2735, PG III
========= Regulatory Information ===========
Federal Reg

ulatory Information:ALL COMPONENTS LISTED IN TSCA INVENTORY.
State Regulatory Information:VOLATILE ORGANIC COMPOUND CONTENT IAW
SOUTHERN CALIFORNIA AIR QUALITY MANAGEMENT DISTRICT RULE 109 (EPA
TEST METHOD 24): 441.5 G/L

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accur

ate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.