View NSN Online: https://aerobasegroup.com/nsn/8030-01-300-0796

DYNAMOLD SOLVENTS, INC. -- DMS-4-828 SERIES MOLDABLE SHIM MATERIAL PART B CATALYST -- 8030-01-300-0796

Product ID:DMS-4-828 SERIES MOLDABLE SHIM MATERIAL PART B CATALYST

MSDS Date:05/01/2000

FSC:8030

NIIN:01-300-0796 Status Code:A

MSDS Number: CLKVC === Responsible Party ===

Company Name: DYNAMOLD SOLVENTS, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX ZIP:76107 Country:US

Info Phone Num:817-335-0862

Emergency Phone Num:800-255-2924 Preparer's Name:RYAN MICKELSON

CAGE:30256

=== Contractor Identification ===

Company Name: DYNAMOLD SOLVENTS, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX ZIP:76107 Country:US

Phone:817-335-0862

CAGE:30256

======= Composition/Information on Ingredients ========

Ingred Name: ALKYLAMINES

CAS:112-24-3

Code:F

RTECS #:YE6650000 Minumum % Wt:15. Maxumum % Wt:40.

Ingred Name:POLYM

IDE RESIN CAS:68410-23-1 Code:F Minumum % Wt:40. Maxumum % Wt:70.

Ingred Name:IMADAZOLE CAS:931-36-2 Code:F Minumum % Wt:5. Maxumum % Wt:10.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE: EYE: CAUTION PRODUCT IS SEVERE
EYE IRRITANT. SKIN: MAY BE SKIN SENSITIZER. INGESTION: MAY CAUSE
BURNS OR ULCERATION. INHALATION: EXCESSIVE INHALATION CAN CAUSE
RESPIRATORY IRRITA

TION.

Effects of Overexposure:EXCESSIVE INHALATION CAN CAUSE RESPIRATORY IRRITATION. REMOVE TO FRESH AIR, AND ADMINISTER OXYGEN IF NEEDED. CONSULT A PHYSICIAN. EYES: IN CASE OF CONTACT FLUSH WITH WATER FOR 15 MINUTES. CONSULT A PHYSICIAN. SKIN: REMOVE WITH A DRY TOWEL. WASH WITH SOAP AND WATER, CONSULT A PHYSICIAN. INGESTION: IS SWALLOWED, DO NOT INDUCE VOMITING, GIVE LARGE QUANTITIES OF MILK AND CONSULT A PHYSICIAN.

First Aid:SKIN: REMOVE WITH DRY TOWEL, WASH WITH SOAP AND WATER, CONSULT PHYSICIAN. EYES: FLUSH WITH WATER FOR 15 MINUTES, CONSULT PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING, GIVE LARGE QUANTITIES OF MILK AND CONSULT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR AND ADMINISTER OXYGEN IF NEEDED, CONSULT A PHYSICIAN.

============ Fire Fighting Measures =========================

Flash Point Method:COC Flash Point:>148.9C, 300.F Extinguishing Media:DRY CHEMI

CAL, CO2, WATER SPRAY Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREA
========= Accidental Release Measures ==========
Spill Release Procedures:REMOVE IGNITION SOURCES, WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES. SOAK UP SPILL WITH ABSORBING MATERIAL, FLUSH AREA WITH WATER AND COLLECT WASTE FOR DISPOSAL.
============= Handling and Storage ==============
Handling and Storage Precautions: STORE IN A COOL DRY AREA AWAY FROM HEAT OR OPEN FLAME Other Precautions:WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NEEDED WHEN GENERAL VENTILATION IS PROVIDED. Ventilation:GENERAL Protective Gloves:PLASTIC FILM OR RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:AS NEEDED TO PROTECT SKIN, EYES AND CLOTHING. Supplemental Safety and Health
= ========= Physical/Chemical Properties ====================================
Boiling Pt:=287.8C, 550.F Vapor Density:6.2 Spec Gravity:.96 Solubility in Water:COMPLETE Appearance and Odor:AMBER LIQUID WITH AMMONIACAL ODOR Percent Volatiles by Volume: