View NSN Online: https://aerobasegroup.com/nsn/6665-01-293-2149

TRUETECH INC -- AMPOULE ASSEMBLY (SEE SUPPL) -- 6665-01-293-2149

Product ID: AMPOULE ASSEMBLY (SEE SUPPL) MSDS Date:02/01/1996 FSC:6665 NIIN:01-293-2149 Status Code:A Kit Part:Y **MSDS Number: CLPKS** === Responsible Party === **Company Name: TRUETECH INC** Address:680 ELTON AVE City:RIVERHEAD State:NY ZIP:11901-2555 Country:US Info Phone Num:516-727-8600 **Emergency Phone** Num:516-727-8600 CAGE:06421 === Contractor Identification === **Company Name: TRUETECH INC** Address:680 ELTON AVE Box:City:RIVERHEAD State:NY ZIP:11901-2555 Country:US Phone:516-727-8600 CAGE:06421

Ingred Name:LIGROINE CAS:8032-32-4 RTECS #:OI6180000 Other REC Limits:NONE RECOMMENDED OSHA PEL:500 PPM ACGIH TLV:NA

Ingred Name:TETRAHYDROFURAN (SARA III) CAS:109-99-9 RTECS #:LU5950000 Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:200 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:INDOXYL ACETATE Other REC Limits:NONE RECOMMENDED OSHA PEL:NA ACGIH TLV:NA

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:EXPOSURE TO VAPOR ABOVE PEL MAY BE IRRITATINGTO EYES AND SKIN. VAPOR IRRITATING TO UPPER RESPIRATORY PASSAGES. MAY CAUSE NARCOSIS IN HIGH CONCENTRATIONS. Explanation of Carcinoge nicity:NA Effects of Overexposure:EXPOSURE TO VAPOR ABOVE PEL MAY BE IRRITATING TO SKIN OR EYES. INHALATION MAY CAUSE HEADACHE, DIZZINESS, NAUSEA, ANESTHESEA, DIFFICULTY BREATHING AND CHEST PAINS. Medical Cond Aggravated by Exposure:NA

First Aid:EYES: FLUSH WITH PLENTY OF WATER, CONTACT A PHYSICIAN. SKIN: FLUSH WITH PLENTY OF WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITTING, CONTACT A PHYSICIAN.

Flash Point Method:TCC Flash Point:=-6.5C, 20.F Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL AND IGNITE FAR FROM SOURCE. EMITS TOXIC FUMES OF NITROGEN OXIDES, CARBON MONOXIDE AND CARBON DIOXIDE.

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION.

ABSORB SPILLED MATERIAL WITH VERMICULITE OR OTHER SUITABLE ABSORBENT AND PLACE IN IMPERVIOUS CONTAINER.

Handling and Storage Precautions:STORE IN CLOSED CONTAINER AWAY FROM HEAT, SPARKS, AND OPEN FLAME.

Ventilation:LOCAL EXHAUST, MECHANICAL (GENERAL). Protective Gloves:RUBBER. Eye Protection:SAFETY GLASSES. Other Protective Equipment:EYEBATH AND SAFETY SHOWER. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health ITEM IS PAT OF A FIVE PART KIT. IEM IS A COMPONENT OF M256A1 DETECTOR KIT AND SIMULATOR, DECTECTOR KIT, TRAINING M256A1. SEE MSDS SERIAL# CLPKN, CLPK P, CLPKQ AND CLPKR.

HCC:F2 Spec Gravity:0.749 Evaporation Rate & amp; Reference:N/A (BUAC=1) Solubility in Water:INSOLUBLE Appearance and Odor:COLORLESS LIQUID, ETHER LI KE ODOR.

Stability Indicator/Materials to Avoid:YES ACIDS, BASES, OXIDIZERS. Stability Condition to Avoid:HEAT, SPARKS, AND OPEN FLAMES. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES.

Waste Disposal Methods: INCINERATE IN A FURNACE WHERE PERMITTED UNDER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided wi

th this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.