

LIGHTHOUSE OF HOUSTON BLIND -- GLASS CLEANER, REGULAR, TYPE 1, CLASS 1

MSDS Safety Information

FSC: 7930
NIIN: 00-664-6910
MSDS Date: 02/24/1999
MSDS Num: CLQQR
Product ID: GLASS CLEANER, REGULAR, TYPE 1, CLASS 1
MFN: 01
Responsible Party
Cage: 0UHH5
Name: LIGHTHOUSE OF HOUSTON BLIND
Address: 3530 W DALLAS ST
City: HOUSTON TX 77019
Info Phone Number: UNKNOWN
Emergency Phone Number: 800-255-3924
Preparer's Name: ERNEST CARTER
Chemtrec IND/Phone: (800)424-9300
Review Ind: Y
Published: Y

Contractor Summary

Cage: 0UHH5
Name: LIGHTHOUSE OF HOUSTON BLIND
Address: 3530 W DALLAS ST
City: HOUSTON TX 77019
Phone: UNKNOWN

Item Description Information

Item
Manager: GSA
Item Name: GLASS CLEANER
Specification Number: A-A-40
Type/Grade/Class: TYPE 1, CLASS 1
Unit of Issue: BX
Quantitative Expression: 00000000024EA
UI Container Qty: B

Ingredients

Cas: 1336-21-6
RTECS #: BQ9625000
Name: AQUA AMMONIA
Percent by Wt: .25
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS
Name: ETHYLENE GLYCOL MONOBUTYL ETHER
Percent by

Wt: 5.5

Name: ISOPROPANOL

Percent by Wt: 4.5

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Effects of Exposure: EYES: MAY CAUSE IRRITATION AND CORNEAL INJURY. MAY CAUSE MUCOUS MEMBRANE IRRITATION. SKIN: EXPOSURE DURING NORMAL USE MAY CAUSE SKIN IRRITATION AND POSSIBLE CONTACT DERMATITIS. INHALATION: MAY CAUSE DIZZINESS,

HEADACHE, AND VOMITING. INGESTION: MAY RESULT IN NAUSEA, VOMITING, AND DIARRHEA. NOTE: NO ADVERSE EFFECTS ANTICIPATED FROM REPEATED EXPOSURE BASED IN AVAILABLE INFORMATION. HOWEVER, ETHYLEN E GLYCOL MONOBUTYL ETHER HAS CAUSED RED BLOOD CELL DAMAGE IN LAB ANIMALS WITH SECONDARY INJURY TO KIDNEY AND LIVER, HUMANS APPEAR TO BE RESISTANT TO THIS EFFECT.

First Aid: EYES:REMOVE ANY CONTACT LENSES AND FLUSH WITH WATER FOR 15 MINUTES.CONTACT PHYSICIAN. SKIN: PROLONGED CONTACT MAY CAUSE DERMATITIS.

CONTACT PHYSICIAN IF RASH IRRITATION PERSISTS.INGESTION: DRINK TWO GLASSES AND INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY. INHALATION: IF SYMPTOMS OCCUR, DISCONTINUE USE AND CONTACT PHYSICIAN IMMEDIATELY.

=====

Handling and Disposal

=====

Spill Release Procedures: WEAR CHEMICAL PROTECTIVE GLOVES, APRON, GOGGLES, RUBBER BOOTS TO AVOID OVER-EXPOSURE CONTAIN SPILL AND AVOID CONTAMINATION OF

NATURAL WATER RESOURCES. MOP UP SPILL AND DISPOSE ACCORDING TO FEDERAL, STATE, AND LOCAL GUIDELINES.

Waste Disposal Methods: FOLLOW ALL APPLICABLE LOCAL, STATE, FEDERAL GUIDELINES.

Handling And Storage Precautions: KEEP FROM FREEZING.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point: =51.7C, 125.F

Extinguishing Media: WATER FOG, CO2,

CHEMICAL EXTINGUISHER, FOAM.
Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS AND TURN-OUT GEAR.

Control Measures

Respiratory Protection: USE CHEMICAL TYPE RESPIRATOR TO KEEP LEVEL BELOW TLV.
Protective Gloves: RUBBER OR VINYL GLOVES. RECOMMENDED TO AVOID SKIN IRRITATION.
Eye Protection: CHEMICAL SPLASH TYPE GOGGLES TO AVOID EYE CONTACT.
Other Protective Equipment: NONE
NEEDED DURING NORMAL USE, USE RUBBER APRON TO AVOID OVER EXPOSURE.

Physical/Chemical Properties

Boiling Point: =82.2C, 180.F
Vapor Density: GREATER
PH: 9-11
Evaporation Rate & Reference: 1CC/60 HRS (77 F)
Solubility in Water: INFINITELY
Appearance and Odor: LIQUID MILD ALCOHOL TYPE ODOR. BLUE TINT

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: KEEP FROM FREEZING.
Materials To Avoid: STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, OTHER HYDROCARBONS.

Transportation Information

Responsible Party Code: 0UHH5
Trans ID NO: 159913
Product ID: GLASS CLEANER, REGULAR, TYPE 1, CLASS 1
MS
DS Prepared Date: 02/24/1999
Review Date: 08/24/2001
MFN: 1
Multiple KIT Number: 0
Unit Of Issue: BX
Container QTY: B

Detail DOT Information

DOT PSN Code: GJL
Symbols: G
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
Hazard Class: 3
UN ID Num: UN1993
DOT Packaging Group: III
Label: FLAMMABLE LIQUID
Special Provision: B1,B52,T7,T30
Packaging Exception: 150
Non Bulk Pack: 203
Bulk

Pack: 242
Max Qty Pass: 60 L
Max Qty Cargo: 220 L
Vessel Stow Req: A

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN CA
IATA UN ID Num: 1993
IATA Proper Shipping Name: FLAMMABLE
E LIQUID, N.O.S. *
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310

=====

Detail AFI Information

=====

AFI PSN CA
AFI Symbols: *
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
AFI Hazard Class: 3
AFI UN ID NUM: UN1993
AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3

=====

HAZCOM Label

=====

Product ID: GLASS CLEANER, REGULAR, TYPE 1, CLASS 1
Cage: 0UHH5
Company Name: LIGHTHOUSE OF HOUSTON BLIND
Street: 3530 W DALLAS ST
City: HOUSTON TX
Zipcode: 77019
Health Emergency Phone: 800-255-3924
Label Required IND: Y
Date Of Label Review: 11/16/2001
Status Code: A
Origination Code: G
Hazard And Precautions: EYES: MAY CAUSE IRRITATION AND CORNEAL INJURY. MA

Y

CAUSE MUCOUS MEMBRANE IRRITATION. SKIN: EXPOSURE DURING NORMAL USE MAY CAUSE SKIN IRRITATION AND POSSIBLE CONTACT DERMATITIS. INHALATION: MAY CAUSE DIZZINESS, HEADACHE, AND VOMITING. INGESTION: MAY RESULT IN NAUSEA, VOMITING, AND DIARRHEA. NOTE: NO ADVERSE EFFECTS ANTICIPATED FROM REPEATED EXPOSURE BASED IN AVAILABLE INFORMATION. HOWEVER, ETHYLEN E GLYCOL MONOBUTYL ETHER HAS CAUSED RED BLOOD CELL DAMAGE IN LAB ANIMALS WITH SECONDARY INJURY TO KIDNEY AND LIVER, HUMANS APPEAR TO BE RESISTANT TO THIS EFFECT.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.