

COURTAULDS AEROSPACE INC -- PR-1321 CLASS A -- 8030-00-291-8380
===== Product Identification =====

Product ID:PR-1321 CLASS A
MSDS Date:01/01/1985
FSC:8030
NIIN:00-291-8380
Kit Part:Y
MSDS Number: BDVMW
=== Responsible Party ===
Company Name:COURTAULDS AEROSPACE INC
Address:757 CALIFORNIA ST
City:GLENDALE
State:CA
ZIP:91203
Country:US
Info Phone Num:818-549-7973
Emergency Phone Num:818-549-7973
CA
GE:83574
=== Contractor Identification ===
Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY
Address:5430 SAN FERNANDO RD
Box:1800
City:GLENDALE
State:CA
ZIP:91209
Country:US
Phone:818-240-2060
CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:LEAD PEROXIDE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR
1910.1025)
CAS:1309-60-0
RTECS #:OG0700000
Fraction by Wt: 7%
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.15 MG/M3(PB); 8990

Ingred Name:METHYL

ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 8%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM

ACGIH TLV:200 PPM/300STEL;9394

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:PRODUCT MAY BE IRRITATING TO SKIN. ACCELERATOR
CONTNS A LEAD COMPD WHICH MAY ABSORB THRU BREAKS(SUPP

===== First Aid Measures =====

First Aid:SK

IN:WASH THOROUGHLY WITH SOAP & WATER. EYES:WASH OUT
THOROUGHLY W/LG AMTS OF WATER; SEE A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:>100F-TOC(>38C)

Extinguishing Media:FOAM, CO*2, DRY CHEMICAL.

Unusual Fire/Explosion Hazard:CAN EMIT TOXIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP W/RAGS; WASH AREA W/MEK.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN CLOSED CONTNRS IN SHELTERED
AREA.

Other Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. AVOID
PROLONGED OR REPEATED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:ADEQ TO MINIMIZE SOLVENT VAPORS

Protective Gloves:GLOV/HNDCR RECO

Eye Protection:CHEM GOGGLES RECOMMENDED

Supplemental Safety and Health

EFF. OF OVEREXPOS: IN THE SKIN

===== Physical/Chemical Properties =====

====

HCC:F4

Spec Gravity:1.51

Appearance and Odor:BROWN SYRUP; SLIGHT KETONE ODOR.

Percent Volatiles by Volume:14

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CAN REACT WITH REDUCING MATERIALS.

Hazardous Decomposition Products:OXIDES OF SULFER; HYDROGEN SULFIDE;
FORMIC ACID.

===== Disposal Considerations =====

Waste Disposal Methods:CLOSED CONTAINERS IN NORMAL TRASH ROUTE. DO NOT
INCINE
RATE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular
situation.