View NSN Online: https://aerobasegroup.jp/nsn/6750-01-066-3215

Product ID:REVERSAL BLEACH/REPLENISHER (M5010A) MSDS Date:07/27/1992 FSC:6750 NIIN:01-066-3215 MSDS Number: BPWYW === Responsible Party === Company Name: CLAYTON CHEMICAL CO. Address:13310 FIGUEROA STREET **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info Phone Num:310-538-9530 Emerg ency Phone Num:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP Address:RR 1 Box:276-Z City:HEATHSVILLE State:VA ZIP:22473 Country:US Phone:703-759-9399 CAGE:6W820

Ingr

ed Name:SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 15-20% % Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM BICHROMATE (SARA III) CAS:10588-01-9 RTECS #:HX7700000 Fraction by Wt: 8-10% % Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 PPM CRO3;CEILING ACGIH TLV:0.05 MG CR/M3; 9293 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:NON HAZARDOUS INGREDIENTS Fraction by Wt: BALAN CE Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SEVERE EYE IRRITATION AND BURNING. MAY CAUSE SEVERE SKIN IRRITATION AND BURNING. INHALATION OF MIST COULD CAUSE RESPIRATORY IRRITATION. MAY CAUSE SEVERE IRRITATION OF MUCOUS MEMB RANES OR DIG ESTIVE TRACT. Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure:EYE IRRITATION/BURNING, SKIN IRRITATION/BURNING, RESPIRATORY TRACT IRRITATION, MUCOUS MEMBRANE IRRITATION, DIGESTIVE TRACT IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: IMMEDIATELY FLUSH WITH PL

ENTY OF WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION. SKIN: FLUSH AFFECTED AREAS PROMTLY WITH WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING. INHALATION: FOR OVEREXPOSURE, REMOVE TO FRESH AIR. INGESTION: DRINK MILK OR WATER. DO NOT INDUCE VOMITING. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Flash Point:NONFLAMMABLE Lower Limits:NONE Upper Limits:NONE Extinguishing Media: ANY EXTINGUISHING MEDIA APP LICABLE TO SURROUNDING AREA. Fire Fighting Procedures: EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: WHEN HEATED TO DECOMPOSITION EMISSION OF TOXIC FUMES OF SO2 IS POSSIBLE. Spill Release Procedures: USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEANUP. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS WATERWAYS OR LOW AREAS. SOAK UP WITH SAND, OIL DRY OR OTHER ABSORBENT MATERIAL. SPILL MAY BE NEUTRALIZED WITH POWDERED SODIUM CARBONATE. Neutralizing Agent:SODIUM CARBONATE Handling and Storage Precautions: STORE IN WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE WITH INCOMPATIBLE MATERIALS. Other Precautions: DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACO IN AREA WHERE THEY MAY BECOME CON TAMINATED WITH THIS MATERIAL. Respiratory Protection:NOT NORMALLY REQUIRED Ventilation:SUFFICIENT ROOM VENTILATION Protective Gloves: RECOMMENDED

Eye Protection: EYEGLASSES WITH SIDE SHIELDS

Other Protective Equipment: PROTECTIVE APRONS

Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

\_\_\_\_\_

HCC:C1

Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:1.180 pH:1.50 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:COMPLETE Appearance and Odor:CLEAR ORANGE-RED, NO ODOR

Stability Indicator/Materials to Avoid:YES STRONG ALKALIES, OXIDIZERS Stability Condition to Avoid:NONE SPECI FIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES OF SULFUR, CARBON DIOXIDE

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQUID AND/OR CONTAMINATED WATER AND DISPOSE OF IN AN APPROVED AND PERMITTED TREATMENT SYSTEM. REMOVE NONUSABLE SOLID MATERIAL AND/OR CONTAMINATED SOIL, FOR DISPOSAL IN AN APPRO VED AND PERMITED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):  $\ensuremath{\mathsf{T}}$ 

his information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.