

CINE MAGNETICS INC FRC DIV -- 999-2602-600 DENT-X EASY CLEAN PROCESSOR CLEANER
POWDER -- 6525-01-307-8484

===== Product Identification =====

Product ID:999-2602-600 DENT-X EASY CLEAN PROCESSOR CLEANER POWDER

MSDS Date:06/01/1992

FSC:6525

NIIN:01-307-8484

MSDS Number: BVTNF

=== Responsible Party ===

Company Name:CINE MAGNETICS INC FRC DIV

Address:524 S COLUMBUS AVE

City:MT VERNON

State:NY

ZIP:10550

-4712

Country:US

Info Phone Num:312-763-1900/914-667-1002

Emergency Phone Num:312-763-1900

CAGE:21297

=== Contractor Identification ===

Company Name:CINE MAGNETICS INC FR CHEMICALS DIV

Address:524 S COLUMBUS AVE

Box:City:MOUNT VERNON

State:NY

ZIP:10550-4712

Country:US

CAGE:21297

===== Composition/Information on Ingredients =====

Ingred Name:CITRIC ACID

CAS:77-92-9

RTECS #:GE7350000

Fraction by Wt: 40-70%

Ingred Name:POTASSIUM PEROXYMONOSULFATE SULFATE

CAS:70693-62-8

=====

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: MAY CAUSE IRRITATION & DAMAGE TO
TISSUE. SKIN: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE
IRRITATION/CORROSION TO DIGESTIVE TRACT. INHALATION: MAY CAUSE
IRRITATION TO NASAL MUCOUS MEMBRANES/RESPIRATORY TRACT.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYES: MAY CAUSE IRRITATION & DAMAGE TO TISSUE.
SKIN: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE
IRRITATION/CORROSION TO DIGESTIVE TRACT. INHALATION: MAY CAUSE
IRRITATION TO NASAL MUCOUS MEMBRANES/RESPIRATORY TRACT.

===== First Aid Measures =====

First Aid:EYES: IRRIGATE W/WATER FOR 15 MINS. SKIN: WASH W/COPIOUS
AMOUNTS OF WATER & SOAP FOR 15 MINS. INGESTION: ADMINISTER 2-3
GLASSES OF WATER/MILK. NEVER ADMINISTER ANYTHING TO AN UNCONSCIOUS
PERSON. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION
IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:APPROPRIATE FOR PRIMARY CAUSE OF FIRE
Fire Fighting Procedures:EVACUATE AREA. WEAR SELF CONTAINED BREATHING
APPARATUS.
Unusual Fire/Explosion Hazard:GRINDING/EXCESSIVE MIXING MAY IGNITE
MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PROTECTIVE EQUIPMENT. SWEEP
INTO A WASTE CONTAINER. PREVENT POWDER FROM ENTERING
SEWERS/WATERWAYS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP
CONTAINER TIGHTLY CAPPED WHEN NOT IN USE. DON'T STORE
FOOD/DRINK/TOBACCO IN AREAS WHERE CONTAMINATION POSSIBLE.
Other Precautions:AVOID BREATHING VAPORS. AVOID CONTACT W/EYES,
SKIN/CLOTHING. DON'T TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

F
CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DUST MASK. NIOSH CARTRIDGE RESPIRATOR
RECOMMENDED FOR POORLY VENTILATED AREAS.
Ventilation:TEN ROOM VOLUMES PER HOUR RECOMMENDED UNDER NORMAL
CONDITIONS.
Protective Gloves:LATEX/NEOPRENE
Eye Protection:CHEMICAL SPLASH GOGGLES
Other Protective Equipment:LAB COAT, EYE WASH STATION
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health

=====

=== Physical/Chemical Properties =====

Solubility in Water:COMPLETE
Appearance and Odor:FREE FLOWING WHITE POWDER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
HEAVY METAL SALTS, NICKEL, COPPER
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:OXYGEN

===== Disposal Considerations =====

Waste Disposal Methods:TREATMENT, STORAGE, TRANSPORTATION, DISPOSAL
MUST BE
IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of thi

s information to their particular situation.