

MET-L-CHEK COMPANY -- VP-30 VISIBLE PENETRANT -- 6850-01-267-7989

===== Product Identification =====

Product ID:VP-30 VISIBLE PENETRANT
MSDS Date:01/01/2001
FSC:6850
NIIN:01-267-7989
Status Code:A
MSDS Number: CLJSQ
=== Responsible Party ===
Company Name:MET-L-CHEK COMPANY
Address:1639 EUCLID ST
Box:00000
City:SANTA MONICA
State:CA
ZIP:90404
Country:US
Info Phone Num:310-450-1111/FAX 452-4046
Emer
gency Phone Num:(800)424-9300
Preparer's Name:NOT PROVIDED
Chemtrec Ind/Phone:(800)424-9300
CAGE:98733
=== Contractor Identification ===
Company Name:MET-L-CHEK COMPANY
Address:1639 EUCLID ST
Box:00000
City:SANTA MONICA
State:CA
ZIP:90404
Country:US
Phone:310-450-1111/FAX 310452-4046
Contract Num:SP0450-01-M-ZG10
CAGE:98733

===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATES
CAS:64742-88-7
Minumum % Wt:40.
Maxumum % Wt:60.
Other REC

Limits:100 PPM (MFR)

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT: LIQUID MAY CAUSE MILD IRRITATION, REDNESS, TEARING AND STINGING OF EYES. SKIN CONTACT: MAY CAUSE MILD SKIN IRRITATION. PROLONGED OR REPEATED CONTACT MAY DRY OUT THE SKIN DUE TO DEFATTING OF SKIN. SYMPTOMS M

AY INCLUDE

REDNESS, BURNING, AND CRACKING OF SKIN. SWALLOWING: SMALL AMOUNTS MAY NOT PRODUCE HARMFUL EFFECTS. LARGE AMOUNTS MAY BE HARMFUL. INHALATION: SMALL AMOUNTS MAY NOT BE HARMFUL. LARGE AMOUNTS MAY BE HARMFUL.

Explanation of Carcinogenicity:THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER, THE NATIONAL TOXICOLOGY PROGRAM, OR OSHA.

Effects of Overexposure:STOMACH OR INTESTINAL UPSET (NAUSEA, VOMITING, DIARRHEA), IR

RITATION (NOSE, THROAT, AIRWAYS), CENTRAL NERVOUS SYSTEM DEPRESSION (DIZZINESS, DROWSINESS, FATIGUE, HEADACHE, UNCONSCIOUSNESS).

Medical Cond Aggravated by Exposure:NOT PROVIDED

===== First Aid Measures =====

First Aid:EYES: FLUSH EYES WITH CLEAN WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SEEK MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH EXPOSED AREA WITH SOAP AND WATER. IF SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION

. LAUNDER CLOTHING BEFORE

REUSE. CLEAN SHOES BEFORE REUSE. SWALLOWING: CALL PHYSICIAN IMMEDIATELY. IF INDIVIDUAL IS DROWSY OR UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH; PLACE INDIVIDUAL ON THEIR LEFT SIDE WITH HEAD DOWN. DO NOT LEAVE INDIVIDUAL UNATTENDED. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT. GIVE OXYGEN. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

FI

ash Point Method:TCC
Flash Point:=62.2C, 144.F
Autoignition Temp:=226.7C, 440.F
Lower Limits:1.0
Upper Limits:6.0

Extinguishing Media:DRY CHEMICAL, REGULAR FOAM OR CARBON DIOXIDE.
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE OPERATE D IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.

Unusual Fire/Explosi
on Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND TO DISTANT IGNITION SOURCE. SEALED CONTAINERS MAY RUPTURE WHEN HEATED. EMPTY CONTAINER MAY CONTAIN VAPORS AND RESIDUES.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. REMOVE ALL SOURCES OF IGNITION. ISOLATE HAZARD AREA. WEAR PROTECTIVE GEAR, KEEP UNNECESSARY PERSONNEL AWAY. CONTAIN AND RECOVER LIQUID WHEN POSSIBLE. USE NON-SPARKING TOOLS. C
OLLECT LI QUID IN AN APPROPRIATE CONTAINER OR ABSORB WITH INERT MATERIAL SUCH AS VERMICULITE, DRY SAND, OR EARTH; DO NOT USE COMBUSTIBLE MATERIALS, AND PLACE IN CHEMICAL WASTE CONTAINER. DO NOT FLUSH TO SEWER.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE. STORE IN A COOL, DRY WELL-VENTILATED LOCATION, AWAY FROM AREAS WHERE FIRE HAZARD OR IGNITION SOURCES M
AY EXIST. OUTSIDE OR DETACHED STORAGE IS PREFERRED. CONTAINERS SH OULD BE GROUNDED FOR TRANSERS TO AVOID STATIC SPARKS. STORE AND USE IN NO SMOKING AREA.

Other Precautions:CONTAINERS MAY BE HAZARDOUS WHEN EMPTY SINCE RESIDUE LIQUID AND VAPORS MAY BE PRESENT. USE NON-SPARKING TOOLS. ANY USE OF THIS PRODUCT IN ELEVATED TEMPERATURE PROCESSING SHOULD BE THOROUGHLY EVALUATED TO ESTABLISH AND MAINTAIN SAFE OPERATING CONDITIONS.

===== Exposure Controls/Personal Protec

tion =====

Respiratory Protection:PERSONAL RESPIRATORS (NIOSH APPROVED) IF
EXPOSURE LIMIT IS EXCEEDED.

Ventilation:A SYSTEM OF LOCAL OR GENERAL EXHAUST IS RECOMMENDED TO KEEP
EMPLOYEE EXPOSURE BELOW THE AIRBORNE EXPOSURE LIMITS. LOCAL EXHAUST
PREFERRED TO CONTROL AT SOURCE.

Protective Gloves:WEAR RESISTANT GLOVES.

Eye Protection:CHEMICAL SPLASH GOGGLES, SAFETY GLASSES OR FULL FACE
SHIELD.

Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN
CONTACT, WEAR
IMPERVIOUS CLOTHING AND BOOTS. EYE WASH AND
QUICK-DRENCH FACILITIES SHOULD BE NEAR WORK AREA.

Work Hygienic Practices:NOT PROVIDED

Supplemental Safety and Health

GENERAL OR GENERIC ID: AMS-2644, TYPE I I, METHODS A & C, PENETRANT.

===== Physical/Chemical Properties =====

HCC:V4

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:=179.4C, 355.F

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pres: